TRAXXIS 70
70 LBS THRUST
24 VOLT 42 AMPS
42" SHAFT

for use with "L" serial numbers
2-year warranty



In the U.S.A., replacement parts may be ordered directly from MINN KOTA Parts Dept., 121 Power Drive,P.O. Box 8129 Mankato, Minnesota 56002-8129. In Canada, parts may be ordered from any of the Canadian Authorized Service Centers shown on the enclosed list. Be sure to provide the MODEL and SERIAL numbers of your motor when ordering parts. Please use the correct part numbers from the parts list. Payment for any parts ordered from the MINN KOTA parts department, may be by cash, personal check, Discover Card, MasterCard or VISA. To order, call 1-800-227-6433 or FAX 1-800-527-4464.

Fuera de los Estados Unidos, consultar la lista anexa para ubicar el Centro de servicio autorizado MINN KOTA. No dejar de incluir el número del MODELO y el número de SERIE del motor para el cual se solicitan las piezas. Usar siempre los números de pieza correctos indicados en la lista de piezas.

Item	P/N	Description	Qty
1	2096030	24V Motor 42” FW	1
5	2-100-119	Armature assembly	1
10	140-010	Bearing	1
15	788-015	Retaining ring	1
20	2-200-005	Center housing assemby	1
25	421-065	Brush end housing assembly	1
30	2-400-101	Plain end housing assembly	1
35	144-049	Flange bearing	1
40	880-003	Seal	1
45	880-006	Seal with shield	1
50	188-037	Brush	2
55	725-050	Paper tube	1
60	738-036	Brush plate assembly	1
65	975-040	Brush spring	2
70	337-036	Gasket	1
75	701-081	O-ring, motor	1
80	701-008	O-ring, thru-bolt	2
85	830-007	Screw, 8-32	2
90	830-008	Thru-bolt	2
95	990-067	Washer, steel	2
100	990-070	Washer, nylatron	2
135	640-004	Leadwire, black	1
136	640-105	Leadwire, red	1
■	2888460	Seal and O-ring Kit	
200	2065698	Decal, c-box cover	1
205	2060295	C-box cover	1
208	2325665	Decal - MinnKota	2
210	2074071	Battery meter, 24v FW	1
215	3043427	Screw, #8 x 7/8 SS	2
220	2184007	Control board, 24/36v	1
225	2303434	Screw, #8-30 x 5/8 SS	2
230	2062501	Control box, VARS, FW	1
235	2062905	Strain relief	1
240	2303412	Screw, #6 x 5/8 SS	6
245	2263434	Screw, #8 x 1 SS	2
250	2383407	Screw, #10-24 x 2 SS	1
255	2061515	Collar, c-box	1
260	2383124	Nut, 10-24, nylock, SS	1
265	2991521	Cam lock/depth collar assy	1
■	2991796	Bracket assy, aluminum [270-356]	1
270	2060100	Knob, steering tension, soft	1
275	2068400	Collet	1
280	2064200	Lock arm	1
285	2062701	Spring, lock arm	1
290	2061821	Hinge	1
295	2062602	Pin, lock, Zinc	1
300	2062602	Pin, lock, Zinc	1
305	2037301	Bushing, hinge	1
310	2032053	Tube 42”	1
315	2063500	Bolt 1/4-20 x 2 3/8”, Zinc	3
320	2771941	Bracket, right, FW	1
325	2067905	Cam deactivator	1

Item	P/N	Description	Qty
330	2067306	Bushing, dowel 1/4 x 1/2	3
335	2062700	Spring, cam deactivator	1
■	2771303	Clamp screw kit	2 per kit
340	2050925	Handle, clamp	2
345	2052625	Roll pin	2
350	2771947	Bracket, left, FW	1
355	2263104	Nut, 1/4-20, nylock, Zinc	3
356	2062604	Pin, stop	1
■	2990957	Handle assy, VARS [360-410]	1
360	2990456	Grip/handle assy, VARS [360-375]	1
365	2060015	Bearing, handle	2
370	2063405	Screw, #6 PFH SS	1
375	2884092	Yoke / spider assy, VARS	1
380	2302742	Spring, detent, off	1
385	2060005	Bearing, handle pivot	2
390	2060900	Handle pivot, top	1
395	2302745	Spring, release button	1
400	2063700	Button, release	1
405	2060905	Handle pivot, bottom	1
410	2303412	Screw, #6 x 5/8 SS	6
415	2062715	Spring, handle pivot	1
420	2061700	Washer, pot holder	1
425	2992523	Leadwire assy, includes [235]	1
■	1378170	Propeller kit	
■	2994875	Propeller bag assy	
1000	2091170	Propeller	1
1010	2092600	Drive pin, small	1
1015	2151726	Washer, prop, small	1
1020	2053101	Nut, nylock, prop, small	1

Item	P/N	Description	Qty

Item	P/N	Description	Qty

BOOTSHALLE

* This item is part of an assembly. This item cannot be sold separately due to machining and /or assembly that is required.

PARTS LIST

12-24-36 VOLT VARIABLE SPEED MODELS
MODÈLES 12-24-36 V VITESSE VARIABLE

THIS IS A UNIVERSAL MULTI-VOLTAGE DIAGRAM. DOUBLE CHECK YOUR MOTORS VOLTAGE FOR PROPER CONNECTIONS
CECI EST UN SCHÉMA À TENSION MULTIPLE UNIVERSEL. REVÉRIFIEZ LA TENSION DE VOTRE MOTEUR POUR BIEN LE BRANCHER.

Traxxis 70 is 24-volt only!